


VMH-1000

Two station positioner with vertical indexing.



- Rigid design.
- Ideal working height.
- Heavy duty.

This is a two station positioner for workpieces that require rotation about one axis. It has been designed for operator ease of use, with a suitable working height for loading/unloading the fixtures, and is delivered complete with an anti-glare shield.


Available accessories

- Slip ring device
- Controlled air
- Fixture bracket



Technical data		VMH-1000 S4D
Max. payload	load per station	1000 kg
Max fixture width	diameter	ø1300
Welding capacity	100% duty cycle 60% duty cycle	2x 350 A 2x 460 A
Distance between fixture discs		2000, 2500 mm
Index axis	Motor power Torque dynamic Torque static	2x 2.0 kW 4930 Nm 3944 Nm
Rotating axis	Motor power Torque dynamic Torque static Offset	3.0 kW 2625 Nm 2100 Nm 214 mm

Controlled by
YRC1000

Controlled by
DX200



Index axis



	D (mm)	L (mm)	Weight	Part No.
VMH-1000 S4D	$\varnothing 3400$	2000	1583 kg	135914-101
	$\varnothing 3720$	2500	1630 kg	135914-102

YASKAWA



YASKAWA Nordic AB
PO Box 504
SE-385 25 Torsås, SWEDEN

Phone +46 480 41 78 00
info.se@yaskawa.eu.com
www.yaskawa.eu.com