

MotoLogix

Interface for MOTOMAN robot programming and control via PLC



Supported platforms:

ETHERNET
POWERLINK

EtherNet/IP

PROFINET

MotoLogix is a revolutionary software interface for programming and control of YASKAWA robots by PLC. Being available for several major PLC brands and fieldbuses it is designed with two primary objectives:

- Enable deep integration of YASKAWA robot systems in PLC controlled machinery.
- Easy programming/commissioning/teaching/operating of robots in a machine, without need of specialized knowledge.

MotoLogix has two components

1. MotoLogix Runtime

Enables the MotoLogix interface on the YASKAWA DX200 and YRC1000 robot controller, using the fieldbus for communication with the PLC.

2. MotoLogix PLC Library

Comprehensive set of function blocks for writing the robot application logic in the PLC (example programs).

KEY BENEFITS

- Robot programming carried out in PLC language – unified for the whole system
- Connects all peripheral devices (sensor, camera, conveyor) through PLC
- Robot completely integrated in the PLC and HMI environment
- Testing of the complete PLC/HMI robot application using virtualization (MotoSim)
- Assurance of a YASKAWA path accuracy (calculation in MOTOMAN controller)
- All YASKAWA DX200 and YRC1000 robots can be controlled
- No Teach pendant nor YASKAWA robotics knowledge is required for robot programming and operation
- Data stored in the PLC, not in the robot controller
- Control up to 16 axes over one MotoLogix interface
- Online-help is included in built in library




MotoLogix

MotoLogix represents a software and hardware interface that enables users to control and program the robot through PLC and offers an innovative approach for a control of all-axis coordinated robot motion, similarly to traditional robot controller.

The difference between PLC controlled robot and conventional robot control is that PLC issues the motion commands for the robot, while the robot controller performs calculations

of motion kinematics. The DX200 robot controller is reduced to the role of a motion controller and the actual program execution and the definition of the motion are carried out by the PLC. This therefore eliminates the need to learn the robot language and allows the programmer to use the PLC language he already knows.

Control Overview – conventional and with MotoLogix





MotoLogix PLC Library

The MotoLogix library offers a comprehensive set of function blocks for a wide range of tasks.

Summary:

- **Motion instructions**
 - Different kinds of moves
 - Jog
 - Conveyor tracking
- **System commands**
 - Enable, Abort, Hold etc
 - Error handling
 - IO handling
- **Robot configuration**
 - Tools, Userframes
 - Interference zones
 - Absolute data (home positions)
- **Get off to a quick start using the supplied example programs and documentation**


Example program name	Description
General	General program for communication, Error Handling and reading current position
1_FBcalls	Program for being able to call every function block individually
2_Jog	Example program for jogging the robot via PLC
3_PosTable	Example program example where robot moves to positions stored in a table
4_ConveyorTracking	Program example for using the conveyor tracking functionality of the robot (suitable for pick and place applications)
5_PickPlace	Program example to execute an easy Pick and Place task

Virtualization

Using the powerful combination of MotoLogix and MotoVRC you can test your entire PLC/HMI robot application without the need of the completely assembled machine. (A YASKAWA robot controller is needed.)

KEY BENEFITS

- **Unified programming approach by IEC 61131 standard**
 - Possibility to program a robot in an environment known by the PLC programmer (Ladder Diagram, Structured Text, Function Block Diagram,
 - No YASKAWA specific knowledge needed
- **Robot program and configuration data created and stored in the PLC**
 - Easy system back-up
 - Easy robot integration and exchange in the complete system
- **Path quality stays the same**
 - Robot kinematics calculation in DX200
 - Path interpolation in DX200
- **Periphery wiring and control via PLC**
 - Gripper, conveyor, sensors



Applications

- Palletizing
- Handling
- Pick and Place
- Packaging
- Machine tending
- Plastic molding

MotoLogix specifications	
Supported robots	All DX200 and YRC1000 types
Number of robots	Up to 4 robots (or 16 external axes) for each MotoLogix system
Number of MotoLogix systems per PLC	Only limited by PLC and fieldbus capacity
Number of motions, userframes, tools	Only limited by PLC memory*
Number of interference zones	32
Number of conveyors for Conveyor tracking	Only limited by PLC hardware and memory
Robot controller cycle time	4 ms
Data exchange for one MotoLogix system	436 byte consistent data is cyclically exchanged between PLC and each MotoLogix system
Required available PLC memory	> 512 kb (depends on complexity of application)

* If the DX200 and YRC1000 are equipped with a Functional Safety Unit (FSU) the amount of tools is limited to 16.

YASKAWA

YASKAWA Headquarters

YASKAWA Europe GmbH
Robotics Division
Yaskawastraße 1
85391 Allershausen, Germany
Tel. +49 (0) 8166/90-0
Fax +49 (0) 8166/90-103

YASKAWA ACADEMY and sales office Frankfurt

YASKAWA Europe GmbH
Robotics Division
Hauptstraße 185
65760 Eschborn, Germany
Tel. +49 (0) 6196/77725-0
Fax +49 (0) 6196/77725-39

YASKAWA GROUP

AT YASKAWA Austria
Schwechat/Wien
+43(0)1-707-9324-15

CZ YASKAWA Czech s.r.o.
Rudná u Prahy
+420-257-941-718

ES YASKAWA Ibérica, S.L.
Gavà/Barcelona
+34-93-6303478

FR YASKAWA France SARL
Saint-Aignan-de-Grand-Lieu
+33-2-40131919

FI YASKAWA Finland Oy
Turku +358-(0)-403000600

GB YASKAWA UK Ltd.
Banbury +44-1295-272755

IT YASKAWA Italia s.r.l.
Torino +39-011-9005833

IL YASKAWA Europe Technology Ltd.
Rosh Ha'ayin +972-3-9004114

NL YASKAWA Benelux B.V.
Son +31-40-2895500

PL YASKAWA Polska Sp. z o.o.
Wrocław +48-71-7928670

RU YASKAWA Nordic AB
Moskva +46-480-417-800

SE YASKAWA Nordic AB
Torsås +46-480-417-800

SI YASKAWA Slovenia
Ribnica +386-1-8372-410

TR YASKAWA Turkey Elektrik
Ticaret Ltd. Sti.
İstanbul +90-216-5273450

ZA YASKAWA Southern Africa (PTY) Ltd
Johannesburg +27-11-6083182

DISTRIBUTORS

BG ARAMET ROBOTICS Ltd.
Yambol +359-885 317 294
Kammarton Bulgaria Ltd.
Sofia +359-02-926-6060

CH Messer Eutectic Castolin
Switzerland S.A.
Dällikon +41-44-847-17-17

DK Robotcenter Danmark
Løsning +45 7022 2477

EE RKR Seadmed OÜ
Tallinn/Estonia +372-68-35-235

GR Gizelis Robotics
Nea Kifissia +30-2106251455

HU Flexman Robotics Kft
Budapest +36-30-9510065

LT Profibus UAB
Panevezys +370-45-518575

NO Skala Robotech AS
Lierstranda +47-32240600

PT ROBOPLAN Lda
Aveiro +351-234 943 900

RO Sam Robotics srl
Timisoara +40-720-279-866
MPL Automation S.R.L.
Satu Mare +40 (0) 261 750 741

